



BAOLAI STEEL



Screw Thread
螺纹管 A011/A012
60x3.0x195/220mm



Screw Rolled Thread
挤压螺纹管 A013/A014
60x3.0x210/300mm



Screw Thread
螺纹管 A015
76x3.5x235mm



Prop Sleeve
杯式螺母 A021
70X3.5X135mm



Adjustable Nut
调节螺母 A022
0.45kg



Adjustable Nut
调节螺母 A023
0.45kg



Adjustable Nut D14/D16
调节螺母 A024/A025
0.75kg/1.13kg



Adjustable Nut
调节螺母 A026
0.80kg



Flower type Plate
冲压花盘 A031
120x120x4.0mm




Flat Square Plate
冲压方盘 A032
120x120x4.0mm



Butterfly type Plate
冲压蝶式盘 A033
120x120x4.0mm



Square type Plate
冲压方盘 A034
120x120x4.0mm



Fixed Pin D12
直销 A041 0.10kg



Chain Pin D12
链销 A042 0.12kg



G-pin hook D12/D14
弯销 A043/A044
0.32kg/0.43kg



Cap pin D12
盖销 A045 0.13kg

 <p>TH101</p>	 <p>TH112</p>	 <p>TH145</p>	 <p>TH156</p>																															
	 <p>TH123</p>			 <p>TH134</p>																														
		<p>型号Model</p> <table border="1"> <thead> <tr> <th>Min-Max Length</th> <th>Outer tube</th> <th>Inner tube</th> </tr> </thead> <tbody> <tr><td>600-1000mm</td><td>60mm</td><td>48mm</td></tr> <tr><td>900-1500mm</td><td>60mm</td><td>48mm</td></tr> <tr><td>1200-2000mm</td><td>60mm</td><td>48mm</td></tr> <tr><td>1800-3200mm</td><td>60mm</td><td>48mm</td></tr> <tr><td>2000-3500mm</td><td>60mm</td><td>48mm</td></tr> <tr><td>2200-3900mm</td><td>60mm</td><td>48mm</td></tr> <tr><td>2500-4500mm</td><td>60mm</td><td>48mm</td></tr> <tr><td>3000-5000mm</td><td>60mm</td><td>48mm</td></tr> <tr><td>3500-5500mm</td><td>60mm</td><td>48mm</td></tr> </tbody> </table>			Min-Max Length	Outer tube	Inner tube	600-1000mm	60mm	48mm	900-1500mm	60mm	48mm	1200-2000mm	60mm	48mm	1800-3200mm	60mm	48mm	2000-3500mm	60mm	48mm	2200-3900mm	60mm	48mm	2500-4500mm	60mm	48mm	3000-5000mm	60mm	48mm	3500-5500mm	60mm	48mm
	Min-Max Length	Outer tube		Inner tube																														
600-1000mm	60mm	48mm																																
900-1500mm	60mm	48mm																																
1200-2000mm	60mm	48mm																																
1800-3200mm	60mm	48mm																																
2000-3500mm	60mm	48mm																																
2200-3900mm	60mm	48mm																																
2500-4500mm	60mm	48mm																																
3000-5000mm	60mm	48mm																																
3500-5500mm	60mm	48mm																																
<p>Technical Specifications</p> <p>Maximum length:4500mm Minimum length: 2500mm Surface finish:Pre-galvanized Pipe thickness:2.5mm Outer tube:60mm Inner tube:48mm Strengthen tube:70.5mm</p>																																		

 <p>TH210</p>	 <p>TH211</p>	 <p>TH232</p>	 <p>TH243</p>
	 <p>Jack post 3'-5' TH221</p>		
<p>Technical Specifications</p> <p>Maximum length:3900mm Minimum length:2200mm Color: Orange painted Pipe thickness:2.0mm Outer tube:60mm Inner tube:48mm Height adjustment 125mm</p>			

60/48 cup type



TH301

56/48 cup type



TH313

TH312

56/48 u type



TH323

型号Model

Min-Max Length	Outer tube	Inner tube
600-1000mm	56mm	48mm
900-1500mm	56mm	48mm
1200-2000mm	56mm	48mm
1800-3100mm	56mm	48mm
2000-3500mm	56mm	48mm
2200-3900mm	56mm	48mm
2500-4500mm	56mm	48mm
3000-5000mm	56mm	48mm
3500-5500mm	56mm	48mm

Technical Specifications

Surface Finish: Painted
 Color: Orange
 Safety Pin: Φ12mm
 Sleeve's handled: 12mm
 Sleeve's Length: 135mm
 Height adjustment: 100mm
 Ring of protection



48/40 cup type



TH401

48/40 cup type



TH412

48/40 type



TH423



A031



A032



A033

型号Model

Min-Max Length	Outer tube	Inner tube
900-1500mm	48mm	40mm
1200-2000mm	48mm	40mm
1800-3100mm	48mm	40mm
2000-3500mm	48mm	40mm
2200-3900mm	48mm	40mm
2500-4500mm	48mm	40mm



A020



A021



A030

Technical Specifications

Maximum length: 3500mm
 Minimum length: 2000mm
 Color: Orange
 Pipe thickness: 2.0mm
 Outer tube: 48mm
 Inner tube: 40mm
 Height adjustment: 125mm

60/48 U type



TH501

U型钢支柱 U type plate

- 110x90x30x4.0mm
- 120x90x35x5.0mm
- 120x90x50x5.0mm
- 160x120x50x5.0mm
- 220x150x90x6.0mm

60/48 T type



TH512

T plate: 540x55x15x2.0mm

型号 Model

Min-Max Length	Outer tube	Inner tube
600-1000mm	60mm	48mm
900-1500mm	60mm	48mm
1200-2000mm	60mm	48mm
1800-3100mm	60mm	48mm
2000-3500mm	60mm	48mm
2200-3900mm	60mm	48mm
2500-4500mm	60mm	48mm
3000-5000mm	60mm	48mm
3500-5500mm	60mm	48mm

60/48 L type



TH534

L type plate: 120x120x40x5.0mm

56/48 T type



TH523

T type plate: 540x55x15x2.0mm

60/48 type



A014

TH601

56/48 type



A065

TH612

型号 Model

Min-Max Length	Outer tube	Inner tube
900-1500mm	56/60mm	48mm
1200-2000mm	56/60mm	48mm
1800-3100mm	56/60mm	48mm
2000-3500mm	56/60mm	48mm

48 type



TH623



A066



A067



A068



A069



A070

型号 Model

Min-Max Length	Outer tube
1000-1300mm	48mm
2000-2300mm	48mm
2500-2800mm	48mm
3000-3300mm	48mm
3500-3800mm	48mm
4000-4300mm	48mm